





TYPE TS



M268749 Thrust Ball Bearings

Bearing No. M268749

Series	M268700
Cone Part Number	M268749
Design Units	Imperial
Cage Type	Pin-Type
C1 - Dynamic Radial Rating (Two-Row, 1 million revolutions) <sup>1</sup>	1120000 lbf
C90(2) - Dynamic Radial Rating (Two-Row, 90 million revolutions) <sup>2</sup>	290000 lbf
d	16.3750 in
B - Cone Width	4.5000 in
R - Cone Backface To Clear Radius <sup>3</sup>	0.25 in
da - Cone Frontface Backing Diameter	17.36 in
db - Cone Backface Backing Diameter	17.76 in
Ab - Cage-Cone Frontface Clearance	0.33 in
Aa - Cage-Cone Backface Clearance	0.34 in
a - Effective Center Location <sup>4</sup>	-0.37 in
C90 - Dynamic Radial Rating (90 million revolutions) <sup>5</sup>	166000 lbf
C1 - Dynamic Radial Rating (1 million revolutions) <sup>6</sup>	642000 lbf
C0 - Static Radial Rating	1250000 lbf

M268749 Bearing 2D drawings and 3D CAD models



## Luoyang SDZ Machinery Equipment Co., ...

$C_{a90}$ - Dynamic Thrust Rating (90 million revolutions) <sup>7</sup>	94800 lbf
K - Factor <sup>8</sup>	1.76
G1 - Heat Generation Factor (Roller-Raceway)	5750
G2 - Heat Generation Factor (Rib-Roller End)	421
Cg - Geometry Factor	0.232