



5306TNC3 Bearing 2D drawings and 3D CAD models

1.181 Inch | 30 Millimeter x 2.835 Inch | 72
Millimeter x 1.189 Inch | 30.2 Millimeter NSK
5306TNC3 Angular Contact Ball Bearings

Bearing No. 5306TNC3

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	0.49
EAN	0029176073847
Product Group	B00152
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Polymer
Contact Angle	25 Degree
Internal Clearance	C3-Loose
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	30MM Bore; 72MM Outside Diameter; 30.2MM Width; Open; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot;



Luoyang SDZ Machinery Equipment Co., ...

	No Snap Ring
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	5306TNC3
Weight / LBS	1.08
B	1.189 Inch 30.2 Millimeter
D	2.835 Inch 72 Millimeter
d	1.181 Inch 30 Millimeter
bore diameter:	30 mm
operating temperature range:	Maximum of +250 ° F
outside diameter:	72 mm
cage material:	Synthetic Resin
overall width:	1.1875 in
outer ring width:	30.2 mm
contact angle:	25 °
maximum rpm:	8500 RPM
row type & fill slot:	Double-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C3
precision rating:	ABEC 1 (ISO Class Normal)
closure type:	Open
fillet radius:	1 mm
radial dynamic load capacity:	4150 kgf
series:	53
radial static load capacity:	2870 kgf



Luoyang SDZ Machinery Equipment Co., ...