



UCFC218D1 Bearing 2D drawings and 3D CAD models

## NTN UCFC218D1 Flange Block Bearings

Bearing No. UCFC218D1

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	13.17
EAN	4547359214024
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	20 Millimeter
Relubricatable	Yes
Insert Part Number	UCFC218D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch - Metric	Metric
Long Description	4 Bolt Round Flange Cartridge; 90MM Bore; 220MM Bolt Circle; 155.6MM Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 96MM Length Thru Bore; Relubricatable;



## Luoyang SDZ Machinery Equipment Co., ...

	Single Lip Land Ridin
Other Features	Single Row   Light Duty   Wide Inner Race   Spigot Joint   Has Flinger
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	UCFC218D1
Weight / LBS	29
d	3.543 Inch   90 Millimeter
Nominal Bolt Circle Diameter Round	8.7 Inch   220 Millimeter
Bolt Spacing	6.126 Inch   155.6 Millimeter
Cartridge Pilot Diameter	7.48 Inch   190 Millimeter
Cartridge Pilot Depth	0.709 Inch   18 Millimeter
D	3.78 Inch   96 Millimeter
bore diameter:	90 mm
expansion type:	Non-Expansion Bearing (Fixed)
bolt circle diameter:	8.6563 in
length through bore:	3-51/64 in
overall length/diameter:	10.4375 in
finish/coating:	Uncoated
bore type:	Round
lubrication type:	Lubrication Fitting
mounting type:	Four-Bolt Piloted
series:	UCFC
housing material:	Cast Iron
standards met:	JIS



## Luoyang SDZ Machinery Equipment Co., ...

locking device:	Set Screw
replacement bearing:	UC218D1