



10.236 Inch | 260 Millimeter x 15.748 Inch | 400 Millimeter x 4.094 Inch | 104 Millimeter SKF 23052 CCK/C4W33 Spherical Roller Bearings

Bearing No. 23052 CCK/C4W33

23052 CCK/C4W33 Bearing 2D drawings and 3D CAD models

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	49.14
EAN	7316570609349
Product Group	B04311
Internal Clearance	C4-Extra Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3052 AOH3052 (Specify bore)
Withdrawal Nut	HML56T
Inch - Metric	Metric
Long Description	260MM Tapered Bore; 400MM Outside Diameter; 104MM Width; C4-Extra Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable;



## Luoyang SDZ Machinery Equipment Co., ...

	Adapter
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	108.247
Adapter Part Number	SNP3052 H3052 (Specify Bore) Inch   H3052 (Specify bore) Millimeter
D	15.748 Inch   400 Millimeter
d	10.236 Inch   260 Millimeter
B	4.094 Inch   104 Millimeter
bore diameter:	260 mm
maximum rpm:	1700 RPM
outside diameter:	400 mm
operating temperature range:	Maximum of +390 ° F
overall width:	4.3800 in
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C4
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



## Luoyang SDZ Machinery Equipment Co., ...

outer ring width:	104 mm
dynamic load capacity:	1600 kN
fillet radius:	3 mm
static load capacity:	2550 kN
series:	230