



9.449 Inch | 240.005 Millimeter x 3.7500 in x 35.0000 in TIMKEN SDAF 23248 Pillow Block Bearings

Bearing No. SDAF 23248

SDAF 23248 Bearing 2D drawings and 3D CAD models

| | |
|---------------------------|--|
| Category | Pillow Block Bearings |
| Inventory | 0.0 |
| Manufacturer Name | TIMKEN |
| Minimum Buy Quantity | N/A |
| Weight | 499.4 |
| EAN | 0087796306851 |
| Product Group | M06288 |
| Number of Mounting Holes | 4 |
| Mounting Method | Shaft Mount |
| Housing Style | 4 Bolt Pillow Block |
| Rolling Element | Spherical Roller Bearing |
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-expansion |
| Mounting Bolts | 1-5/8 Inch |
| Relubricatable | Yes |
| Insert Part Number | 23248 |
| Seals | Triple Ring Labyrinth |
| Housing Configuration | 2 Piece Split |
| Inch - Metric | Inch |
| Other Features | Double Row Heavy Duty Straight Bore |
| Long Description | 4 Bolt Pillow Block; 9.449" Bore; 10-1/4" Base to Center Height; Shaft Mount Mount; Spherical Roller Bearing; 29" Minimum Bolt |



Luoyang SDZ Machinery Equipment Co., ...

| | |
|-------------------------------|---|
| | Spacing; 30-1/2" Bolt Spacing Maximum; Relubricatable |
| Category | Pillow Block |
| UNSPSC | 31171511 |
| Harmonized Tariff Code | 8483.20.40.80 |
| Noun | Bearing |
| Keyword String | Pillow Block |
| Manufacturer URL | http://www.timken.com |
| Manufacturer Item Number | SDAF 23248 |
| Weight / LBS | 1,100 |
| Bolt Spacing Minimum | 29 Inch 736.6Millimeter |
| Actual Bolt Center to Center | 0 Inch 0Millimeter |
| Nominal Bolt Center to Center | 29.8 Inch 756.9 Millimeter |
| D | 14.25 Inch 361.95 Millimeter |
| d | 9.449 Inch 240.005 Millimeter |
| B | 10.25 Inch 260.35 Millimeter |
| Bolt Spacing Maximum | 30.5 Inch 774.7Millimeter |
| Diameter S-2 | 10 1/2 in |
| Diameter S-3 | 9 3/16 in |
| A | 10.2500 in |
| B | 35.0000 in |
| C | 13.1250 in |
| D | 3.7500 in |
| E Max. | 30.5000 in |
| E Min. | 29.0000 in |
| F | 8.75 in |
| H ¹ | 20.8750 in |
| Oil Level K | 3.5625 in |
| | |



Luoyang SDZ Machinery Equipment Co., ...

| | |
|---|-------------|
| L ² | 14.250 in |
| 4 Base Bolts Req ' d | 1.625 in |
| Housing Only ³ | SDAF3248 |
| Bolt Hole Length | 2.375 in |
| Bolt Hole Width | 1.625 in |
| Stabilizing Ring 1 Req ' d ⁴ | A5679 |
| Triple Seal 2 Req ' d at S-2 | ER710-1 |
| Triple Seal 2 Req ' d at S-3 | ER923-1 |
| Assembly Weight | 1100.000 lb |
| Lock Washer | NO48 |
| Lock Plate | P48 |
| Tightening Bolt Size | 1 3/4 |
| Full Timken Part Number | SDAF23248 |